

INTERACTIVE ULTRA SHORT THROW MULTIMEDIA LASER PHOSPHOR PROJECTOR

ZW300USTi



Brilliant laser projection for rooms of any size



- 3200 lumens and 100,000:1 contrast ratio produce bright, striking imagery along with razor sharp text**
- PC Free USB Media Player supports playback of video and audio files along with shared images and presentations**
- Stylus and Finger Interactive Touch under Windows 10 and Mac OS X, for collaborative and immersive experiences**
- Powerful 10 Watt speakers enhances presentations and fills the room with loud crisp audio**
- Laser Phosphor Light Source provides 30,000 hours of light source expectancy**
- HDMI MHL port supports popular HDMI dongles including Optoma's HDCast Pro, Chromecast, FireTV & more**



Equipped with state-of-the-art laser phosphor display technology, the Optoma ZW300USTi showcases superior picture quality and enhanced color performance to provide unsurpassed imagery in spaces large and small. Producing rich colors and deep black levels that outperform traditional lamp-based projectors, the ZW300USTi's solid-state laser light source provides 30,000 hours of virtually maintenance-free operation. With a throw ratio of .27, the WXGA ZW300USTi can display a large 115" image from only 19" away, making it ideal for use in space-constrained environments including small classrooms, meeting rooms, boardrooms and digital signage applications. Allowing for presentations to seamlessly transition from external sources on the fly, the ZW300USTi's PC Free USB Media Player supports playback of video and audio files along with images and presentations shared directly from any USB device.

The ZW300USTi's next-generation TouchBEAM interactive technology is Windows 8.1 and Windows 10 compliant with Full Windows Touch Support (10 touch points). In addition, it also supports the latest versions of Mac OS X (2 touch points). Whether participants are using the non-powered stylus (use not required) or simply using their finger, the ZW300USTi enables multiple participants to simultaneously engage with the educator or presenter in a truly collaborative presentation experience. Allowing for presentations to transition from external sources seamlessly, the ZW300USTi's PC Free USB Media Player supports playback of video and audio files along with images and presentations shared directly from any USB device.

Featuring a powerful 10-watt speaker, the ZW300USTi enhances presentations, videos and audio files by delivering crisp, robust audio. In addition, streaming and presenting is made easy with an MHL-powered HDMI port that supports popular dongles including Optoma's HDCast Pro and Amazon's FireTV. The USB port can also be used to power Optoma's WHD200 Wireless HDMI system or Google's Chromecast media dongle.

CONNECTIVITY (May require optional accessories)



Computers



Smart Phones



Tablets



3D Blu-ray/DVD Players



Camcorders



Apple TV®



Chromecast™

INTERACTIVE ULTRA SHORT THROW MULTIMEDIA LASER PHOSPHOR PROJECTOR – ZW300USTi

OPTICAL/TECHNICAL SPECIFICATIONS


Display Technology	Single Texas Instrument DMD, 12 degree .65" DMD X1, Type S600, DC3
Color Wheel	3 Segment; Y/G/B Wheel
Native Resolution	WXGA 1280x800
Maximum Resolution	WUXGA 1920x1200
Brightness	3200 Lumens
Contrast Ratio	100,000:1 (dynamic black enabled) / 22,000:1
Displayable Colors	1.07 Billion
Light Source Life and Type*	Up to 30,000 hrs (Eco), 20,000 hrs (Bright) - Laser Phosphor
Projection Method	Front, rear, ceiling mount, table top
Keystone Correction	±40° Vertical
Uniformity	80%
Offset	120%
Aspect Ratio	16:10 (native), 16:9, 4:3, Auto
Throw Ratio	0.27:1
Projection Distance	19.4"– 27"
Image Size	85" - 115"
Projection Lens	F=2.5~ 3.26, f=20.91 ~ 32.62 mm manual focus
Digital Zoom	0.8 to 2.0
Audio	10 Watt Speaker
Noise Level	32dB
Remote Control	Full Function Remote
Operating Temperature	41–104°F (5–40°C), 85% max humidity
Power Supply	AC input 90 – 264V, 50–60 Hz
Power Consumption	335W (Bright), 225W (ECO)
High Altitude	Operating Temp @ Sea Level to 10000 feet = 23C (max); must manually switch to high altitude mode @ 5000 feet & above (using OSD)

COMPATIBILITY SPECIFICATIONS


PC Free USB Media Player and Office Document Viewer	Supports playback of video files, audio files, and viewing of Office Documents and PDF files via USB 2.0 and USB 3.0 Flash Disks and Drives
PC Free USB Media Player Video Codecs and Containers	H.264, H.263, VC-1, MPEG-1/2/4, DIVX-3/4/5/6, XVID, WMV7/8, VP8, VP6, AVS, MKV
PC Free USB Media Player Audio Codecs and Containers	MP3, WMA, OGG, FLAC, APE, ATRA
PC Free USB Media Player Image formats	JPEG, GIF, BMP
PC Free Office Document and PDF Viewer formats	Word Documents (.doc, .docx), Excel Spreadsheets (.xls, .xlsx), PowerPoint Presentations (.ppt, .pptx), Adobe Acrobat files (.pdf)
Computer Compatibility	SVGA, VGA, SXGA, UXGA, XGA, WXGA, HD, Mac
Video Input Compatibility	NTSC, PAL, SECAM, SDTV 480i/p, 576i/p, HDTV 720p(50/60Hz), 1080i(50/60Hz), 1080P(50/60Hz)
3D Compatibility†	Supports all HDMI 1.4a mandatory 3D formats (Frame pack, side-by-side, top-bottom) and up converts frame rate from 60Hz to 120Hz or 24Hz to 144Hz (i.e. 60 or 72 frames per eye). 3D glasses are needed and are sold separately. Refer to user manual for details.
Vertical Scan Rate	24– 85 Hz (120Hz for 3D feature)
Horizontal Scan Rate	15.375–91.146 KHz
User Controls	Complete on-screen menu adjustment in 18 languages
I/O Connection Ports	2xHDMI with MHL, VGA-In, VGA-Out, Composite Video In, 2xAudio in (3.5mm/RCA audio), Mic-In (3.5mm), Audio out (3.5mm), RS232, USB-A (Power), USB-B (Service), RJ45 (LAN)
PC Free USB Media Player	Playback Videos and Audio files; View Images, Documents, and PowerPoint Presentations
Interactive LCT and Finger Touch Operating System Compatibility	Mac OS X 10.9.x, 10.10.x, 10.11.x, and 10.12.x, Windows 7, 8.1 and 10
Interactive Tools Operating System Compatibility	Mac OS X 10.9.x, 10.10.x, 10.11.x, and 10.12.x, Windows 7, 8.1 and 10
Loop Through (Audio)	Yes

PHYSICAL SPECIFICATIONS

Security	Kensington® Lock Port, security bar and keypad lock
Weight	12.3lbs
Dimensions (W x H x D)	15" x 5" x 12.5"



- | | | |
|---------------|----------------|--------------|
| 1. VGA 1 | 6. USB Disk | 11. Audio In |
| 2. HDMI-2/MHL | 7. VGA2 in/out | 12. Mic |
| 3. HDMI-1 | 8. Video | 13. K-slot |
| 4. USB | 9. RCA in L/R | 14. RS-232 |
| 5. RJ-45 | 10. Audio Out | 15. AC Power |



Warranty

3 Year parts and labor limited warranty on the projector, 5-year or 12,000 hour light source warranty (whichever comes first)

What's in the Box

ZW300USTi, AC power cord, LCT Laser Curtain, Non-powered Stylus Pens (2), 5M USB-A to USB-B Cable, LCT Power Cable (3.5mm to 3.5mm), remote control, batteries for remote, quick start user manual

Accessories

Remote (replacement): BR-3080N
 Universal Ceiling mount: OWM3000
 Mounting Plate: BM-4003p
 4K UHD Casting and mirroring adapter: UHDCast Pro
 QuickCast Pro 4K HDMI starter kit: QCP-SK-4K-HDMI (1 TX and 1 RX)
 QuickCast Pro 4K HDMI starter kit: QCP-4K-KIT (2 TX, 1 RX, 1 Cradle)

UPC 796435 44 094 7

www.OptomaUSA.com



*Light source life is dependent upon many factors, including brightness mode, display mode, usage, environmental conditions and more. Light source brightness can decrease over time.

†3D content can be viewed with DLP Link active shutter 3D glasses when projector is used with a compatible 3D player. Please visit www.OptomaUSA.com for more information.

Copyright © 2017 Optoma Technology, Inc. DLP® and the DLP logo are registered trademarks of Texas Instruments™. All other trademarks are the property of their respective owners. All specifications subject to change at any time. 05272020